



◆ Indicates most accurate load

**.338 - 378 Weatherby Magnum**

**Bullet Weight:** 160 gr                      **Case Trim Length:** 2.903"                      **S.D.**      0.200  
**Bullet Style:** Tipped TSX FB                      **Primer:** Fed GM215M                      **B.C.**      0.342  
**COAL:** 3.750"                      **Barrel Length:** 25"  
**Case:** Norma                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ H1000	115.0	3417	122.0	3589	103
RL 25	116.0	3501	123.0	3713	104

**Bullet Weight:** 185 gr                      **Case Trim Length:** 2.903"                      **S.D.**      0.231  
**Bullet Style:** MRX BT                      **Primer:** Fed GM215M                      **B.C.**      0.379  
**COAL:** 3.740"                      **Barrel Length:** 25"  
**Case:** Norma                      **Twist Rate:** 1:10"

**Bullet Weight:** 185 gr                      **Case Trim Length:** 2.903"                      **S.D.**      0.231  
**Bullet Style:** TSX BT                      **Primer:** Fed GM215M                      **B.C.**      0.352  
**COAL:** 3.720"                      **Barrel Length:** 25"  
**Case:** Norma                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ AA 8700	120.0	3025	128.0	3187	100
RL 25	105.0	3172	113.0	3373	96

**Bullet Weight:** 210 gr                      **Case Trim Length:** 2.903"                      **S.D.**      0.263  
**Bullet Style:** TSX BT                      **Primer:** Fed GM215M                      **B.C.**      0.404  
**COAL:** 3.720"                      **Barrel Length:** 25"  
**Case:** Norma                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ H1000	99.0	2878	107.0	3076	94
RL 25	101.0	3013	108.5	3183	94

### .338-378 Weatherby Magnum

**Bullet Weight:** 225 gr                      **Case Trim Length:** 2.903"                      **S.D.**    0.281  
**Bullet Style:** MRX BT                                      **Primer:** Fed GM215M                      **B.C.**    0.433  
**COAL:** 3.740"                                      **Barrel Length:** 25"  
**Case:** Norma    **Twist Rate:** 1:10"

**Bullet Weight:** 225 gr                      **Case Trim Length:** 2.903"                      **S.D.**    0.281  
**Bullet Style:** TSX FB                                      **Primer:** Fed GM215M                      **B.C.**    0.386  
**COAL:** 3.720"                                      **Barrel Length:** 25"  
**Case:** Norma    **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ RL 25	100.0	2966	105.0	3066	93
US869	114.0	2886	122.0	3056	98

**Bullet Weight:** 250 gr                      **Case Trim Length:** 2.903"                      **S.D.**    0.313  
**Bullet Style:** Banded Solid                                      **Primer:** Fed GM215M                      **B.C.**    0.208  
**COAL:** 3.720"                                      **Barrel Length:** 25"  
**Case:** Norma    **Twist Rate:** 1:10"

**Bullet Weight:** 250 gr                      **Case Trim Length:** 2.903"                      **S.D.**    0.313  
**Bullet Style:** TSX FB                                      **Primer:** Fed GM215M                      **B.C.**    0.425  
**COAL:** 3.720"                                      **Barrel Length:** 25"  
**Case:** Norma    **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ RL 22	90.0	2696	98.0	2890	89
US869	110.5	2736	118.5	2948	97