

300 AAC Blackout

Case: Remington


Primer: Federal 205

Case Trim: 1.358"

Barrel Length: 16"

Twist Rate: 1:8"

Barrel: Krieger



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Recommended Powder*

[°] Compressed Load

300 AAC Blackout



110-grain TAC-TX FB
 Sectional Density .166
 Ballistic Coefficient .289
 C.O.A.L 2.250"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Enforcer	15.4	2039	17.1 ^c	2200
*Lil'Gun	17.5	2206	19.4 ^c	2349
IMR 4227	16.1	2017	17.8	2162
PowerPro 300-MP	17.5	2075	19.5	2256
A-5744	17.6	1919	19.6 ^c	2117
H110	18.2	2213	20.2	2415



120-grain TAC-TX BT
 Sectional Density .181
 Ballistic Coefficient .358
 C.O.A.L 2.250"



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H110	16.5	1980	17.5	2150

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Recommended Powder*

^c Compressed Load