

## 6.5 Creedmoor

Case: Hornady

Primer: Federal 210

Case Trim: 1.920"

Barrel Length: 24"

Twist Rate: 1:8"

Barrel: Bartlein

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*\*Recommended Powder*

<sup>°</sup>Compressed Load

## 6.5 Creedmoor



100-grain TTSX BT / TAC-TX BT  
Sectional Density .205  
Ballistic Coefficient .359  
C.O.A.L 2.700"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	41.9	2992	46.6	3247
RL 15	37.7	2886	41.9	3176
A-2700	42.4	2929	47.1 <sup>c</sup>	3258
IMR 4007SSC	40.1	2900	44.5 <sup>c</sup>	3215
Power Pro 2000MR	40.3	2956	44.7	3260
Win 760	41.8	2892	46.5	3233
H414	42.2	2942	46.8 <sup>c</sup>	3243
RL 17	40.7	2882	45.2	3235
IMR 4350	42.5	2908	47.2 <sup>c</sup>	3221
*H4350	42.9	2960	47.7 <sup>c</sup>	3232



120-grain TSX BT / TAC-X BT  
Sectional Density .246  
Ballistic Coefficient .381  
C.O.A.L 2.700"

Suggested Bullet Use



120-grain TTSX BT / TAC-TX BT  
Sectional Density .246  
Ballistic Coefficient .412  
C.O.A.L 2.720"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	38.4	2659	42.6	2881
A-2700	39.4	2645	43.7	2916
*IMR 4007SSC	36.0	2612	40.0	2836
Power Pro 2000MR	37.3	2666	41.4	2895
Win 760	38.7	2615	43.1	2891
H414	38.3	2614	42.6	2859
RL 17	37.5	2625	41.6	2892
IMR 4350	38.7	2622	43.0	2879
H4350	38.2	2647	42.5	2870
Hunter	41.7	2661	46.3 <sup>c</sup>	2909

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 6.5 Creedmoor



127-grain LRX BT  
Sectional Density .260  
Ballistic Coefficient .468  
C.O.A.L 2.720"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	37.2	2562	41.3	2779
A-2700	38.4	2556	42.7	2805
RL 17	36.8	2532	40.8	2808
IMR 4350	37.3	2560	41.5	2791
H4350	36.3	2526	40.4	2738
Hybrid 100V	37.6	2545	41.8 <sup>c</sup>	2808
*Superformance	40.5	2584	45.0 <sup>c</sup>	2865



130-grain TSX FB  
Sectional Density .266  
Ballistic Coefficient .365  
C.O.A.L 2.700"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	36.9	2479	41.0	2711
A-2700	36.9	2465	41.0	2711
*RL 17	36.7	2482	40.8	2742
H4350	36.2	2443	40.2	2672
Hybrid 100V	37.9	2505	42.1 <sup>c</sup>	2751
Superformance	40.8	2578	45.4 <sup>c</sup>	2840

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 6.5 Creedmoor



140-grain Match Burner

Sectional Density .287

Ballistic Coefficient .586

C.O.A.L 2.700"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*RL 15	33.6	2460	37.3	2661
A-2700	36.2	2392	40.2	2655
RL 17	36.2	2446	40.2	2712
IMR 4350	38.8	2553	43.1	2800
H4350	36.1	2428	40.1	2639
Hunter	39.4	2481	43.8	2713
Hybrid 100V	37.1	2425	41.2	2705
Superformance	40.7	2474	45.2	2785

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load