


# 7mm-08 Remington

|                    |                     |
|--------------------|---------------------|
| Case: Remington    | Primer: Federal 210 |
| Case Trim: 2.025"  | Barrel Length: 24"  |
| Twist Rate: 1:9.5" | Barrel: Bartlein    |



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*\*Recommended Powder*

<sup>°</sup> Compressed Load

## 7mm-08 Remington



110-grain TTSX FB  
Sectional Density .195  
Ballistic Coefficient .319  
C.O.A.L 2.800"

Suggested Bullet Use



| Powder   | Minimum         |                | Maximum           |                |
|----------|-----------------|----------------|-------------------|----------------|
|          | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| Win 748  | 44.6            | 3008           | 49.6 <sup>c</sup> | 3291           |
| BL-C(2)  | 45.2            | 3008           | 50.2 <sup>c</sup> | 3297           |
| *Varget  | 41.0            | 2906           | 45.6 <sup>c</sup> | 3196           |
| IMR 4064 | 41.2            | 2831           | 45.8 <sup>c</sup> | 3136           |
| A-2520   | 44.3            | 2999           | 49.2 <sup>c</sup> | 3269           |
| IMR 4320 | 41.7            | 2836           | 46.3 <sup>c</sup> | 3190           |
| RL 15    | 42.8            | 2969           | 47.5 <sup>c</sup> | 3248           |



120-grain TSX BT  
Sectional Density .213  
Ballistic Coefficient .349  
C.O.A.L 2.735"

Suggested Bullet Use



120-grain TTSX BT  
Sectional Density .213  
Ballistic Coefficient .373  
C.O.A.L 2.800"



| Powder           | Minimum         |                | Maximum           |                |
|------------------|-----------------|----------------|-------------------|----------------|
|                  | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| Win748           | 41.9            | 2820           | 46.5              | 3129           |
| BL-C(2)          | 43.1            | 2839           | 47.8 <sup>c</sup> | 3158           |
| CFE 223          | 43.5            | 2894           | 48.4 <sup>c</sup> | 3196           |
| H4895            | 38.5            | 2778           | 42.8 <sup>c</sup> | 3060           |
| IMR 4895         | 40.6            | 2805           | 45.2              | 3109           |
| *Varget          | 39.5            | 2769           | 43.9              | 3052           |
| IMR 4064         | 39.6            | 2692           | 43.9              | 2995           |
| A-2520           | 42.3            | 2871           | 47.0              | 3119           |
| RL 15            | 41.1            | 2826           | 45.7              | 3116           |
| Power Pro 2000MR | 43.6            | 2820           | 48.5 <sup>c</sup> | 3143           |

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 7mm-08 Remington



140-grain TSX BT  
Sectional Density .248  
Ballistic Coefficient .394  
C.O.A.L 2.735"

Suggested Bullet Use



140-grain TTSX BT  
Sectional Density .248  
Ballistic Coefficient .412  
C.O.A.L 2.800"



| Powder           | Minimum         |                | Maximum           |                |
|------------------|-----------------|----------------|-------------------|----------------|
|                  | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| BL-C(2)          | 39.7            | 2559           | 44.1              | 2854           |
| CFE 223          | 39.9            | 2590           | 44.3              | 2886           |
| Varget           | 37.1            | 2532           | 41.2              | 2779           |
| IMR 4064         | 37.3            | 2493           | 41.4              | 2738           |
| A-2520           | 40.8            | 2704           | 45.3              | 2936           |
| *Big Game        | 44.2            | 2664           | 49.1 <sup>c</sup> | 2910           |
| RL 15            | 38.3            | 2576           | 42.5              | 2817           |
| A-2700           | 43.7            | 2661           | 48.5 <sup>c</sup> | 2939           |
| Power Pro 2000MR | 41.7            | 2660           | 46.4 <sup>c</sup> | 2933           |
| RL 17            | 43.0            | 2618           | 47.8 <sup>c</sup> | 2911           |



145-grain LRX BT  
Sectional Density .257  
Ballistic Coefficient .486  
C.O.A.L 2.800"

Suggested Bullet Use



| Powder           | Minimum         |                | Maximum           |                |
|------------------|-----------------|----------------|-------------------|----------------|
|                  | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| BL-C(2)          | 40.0            | 2516           | 44.4 <sup>c</sup> | 2816           |
| CFE 223          | 39.9            | 2544           | 44.4              | 2823           |
| VARGET           | 36.3            | 2550           | 40.4              | 2771           |
| IMR 4064         | 36.8            | 2461           | 40.9              | 2741           |
| A-2520           | 40.4            | 2644           | 44.9 <sup>c</sup> | 2861           |
| Big Game         | 43.4            | 2600           | 48.2 <sup>c</sup> | 2846           |
| RL 15            | 37.7            | 2494           | 41.9              | 2736           |
| Power Pro 2000MR | 41.4            | 2585           | 46.0 <sup>c</sup> | 2870           |
| H414             | 41.8            | 2519           | 46.5 <sup>c</sup> | 2802           |
| *RL 17           | 41.8            | 2576           | 46.5 <sup>c</sup> | 2871           |

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 7mm-08 Remington



150-grain TSX BT  
Sectional Density .266  
Ballistic Coefficient .408  
C.O.A.L 2.735"

Suggested Bullet Use



150-grain TTSX BT  
Sectional Density .266  
Ballistic Coefficient .450  
C.O.A.L 2.800"

Suggested Bullet Use



| Powder            | Minimum         |                | Maximum           |                |
|-------------------|-----------------|----------------|-------------------|----------------|
|                   | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| BL-C(2)           | 38.9            | 2454           | 43.3              | 2746           |
| CFE 223           | 39.2            | 2496           | 43.6              | 2760           |
| IMR 4064          | 36.6            | 2449           | 40.6              | 2691           |
| A-2520            | 40.2            | 2571           | 44.7              | 2792           |
| Big Game          | 43.0            | 2580           | 47.7 <sup>c</sup> | 2839           |
| RL 15             | 36.9            | 2465           | 41.0              | 2681           |
| H414              | 41.2            | 2505           | 45.8 <sup>c</sup> | 2769           |
| *Power Pro 2000MR | 40.7            | 2533           | 45.2              | 2815           |



160-grain TSX FB  
Sectional Density .283  
Ballistic Coefficient .392  
C.O.A.L 2.735"

Suggested Bullet Use



| Powder           | Minimum         |                | Maximum           |                |
|------------------|-----------------|----------------|-------------------|----------------|
|                  | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| BL-C(2)          | 37.8            | 2293           | 42.0              | 2575           |
| CFE 223          | 37.5            | 2330           | 41.6              | 2589           |
| IMR 4064         | 35.2            | 2303           | 39.1              | 2530           |
| A-2520           | 38.7            | 2420           | 43.0              | 2639           |
| *Big Game        | 41.8            | 2418           | 46.5 <sup>c</sup> | 2678           |
| RL 15            | 34.9            | 2286           | 38.8              | 2501           |
| Power Pro 2000MR | 39.3            | 2392           | 43.7              | 2664           |
| H414             | 40.5            | 2399           | 45.0 <sup>c</sup> | 2639           |
| RL 17            | 40.7            | 2415           | 45.2 <sup>c</sup> | 2680           |

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

# 7mm-08 Remington



171-grain Match Burner  
 Sectional Density .303  
 Ballistic Coefficient .645  
 C.O.A.L 2.800"

Suggested Bullet Use



| Powder           | Minimum         |                | Maximum           |                |
|------------------|-----------------|----------------|-------------------|----------------|
|                  | Charge (grains) | Velocity (fps) | Charge (grains)   | Velocity (fps) |
| BL-C(2)          | 38.4            | 2318           | 42.6              | 2595           |
| CFE 223          | 38.1            | 2341           | 42.3              | 2605           |
| IMR 4064         | 36.1            | 2378           | 40.1              | 2581           |
| Big Game         | 41.0            | 2429           | 45.5 <sup>c</sup> | 2647           |
| A-2700           | 40.6            | 2377           | 45.1 <sup>c</sup> | 2657           |
| IMR 4007SSC      | 40.1            | 2366           | 44.5 <sup>c</sup> | 2625           |
| Power Pro 2000MR | 39.2            | 2385           | 43.6              | 2647           |
| *H414            | 40.8            | 2354           | 45.3 <sup>c</sup> | 2639           |
| RL 17            | 39.3            | 2349           | 43.6 <sup>c</sup> | 2635           |

7mm-08 Remington

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load