

375 H&H Magnum

Case: Jamison

Primer: Federal 215

Case Trim: 2.840"

Barrel Length: 24"

Twist Rate: 1:12"

Barrel: Krieger

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

^aRecommended Load

^cCompressed Load

375 H&H Magnum



235-grain TSX FB
Sectional Density .239
Ballistic Coefficient .270
C.O.A.L 3.570"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	76.7	2805	85.2 ^c	3051
H4895	67.0	2732	74.5	2946
IMR 4895	71.1	2755	79.0 ^c	2998
Varget	70.7	2736	78.6 ^c	2973
A-2520	70.6	2766	78.4	2993
*RL 15	73.4	2757	81.5 ^c	3001



250-grain TTSX BT
Sectional Density .254
Ballistic Coefficient .424
C.O.A.L 3.590"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*Varget	66.3	2587	73.7 ^c	2821
RL 15	69.0	2603	76.7 ^c	2863

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

Recommended Load

^c Compressed Load

375 H&H Magnum



270-grain TSX FB
Sectional Density .274
Ballistic Coefficient .326
C.O.A.L 3.570"

Suggested Bullet Use



270-grain LRX BT
Sectional Density .274
Ballistic Coefficient .449
C.O.A.L 3.580"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	70.3	2526	78.1 ^c	2767
H4895	62.9	2466	69.9	2674
IMR 4895	66.5	2496	73.9 ^c	2738
Varget	66.2	2498	73.5 ^c	2715
A-2520	64.9	2505	72.2	2709
Big Game	76.0	2641	84.5 ^c	2841
*RL 15	67.9	2494	75.5 ^c	2725



300-grain TSX FB
Sectional Density .305
Ballistic Coefficient .357
C.O.A.L 3.570"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	67.0	2361	74.4 ^c	2599
Varget	62.8	2322	69.8 ^c	2545
IMR 4064	63.1	2289	70.1 ^c	2535
IMR 4320	62.1	2277	69.0	2514
Big Game	70.6	2436	78.4 ^c	2642
*RL 15	67.5	2374	75.0 ^c	2612

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Load

^c Compressed Load

375 H&H Magnum



350-grain TSX FB
 Sectional Density .356
 Ballistic Coefficient .425
 C.O.A.L 3.550"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Viht N135	52.0	1961	57.0	2142
Varget	54.5	2066	59.5	2231
IMR 4064	55.5	2104	60.5	2259
*IMR 4320	55.5	2068	60.5	2226
Big Game	61.5	2167	66.5	2318
RL 15	61.0	2168	66.0 ^c	2319

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

Recommended Load

^c Compressed Load