



*Recommend crimping into front cannelure groove.

◆ Indicates most accurate loads

9.3 x 74R

Bullet Weight: 250 gr **Case Trim Length:** 2.931" **S.D.** 0.267
Bullet Style: Banded Solid **Primer:** Fed GM210M **B.C.** 0.222
COAL: 3.650" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ IMR 4064	55.5	2418	59.0	2551	95
VIT N140	57.5	2399	60.5	2539	92

Bullet Weight: 250 gr **Case Trim Length:** 2.931" **S.D.** 0.267
Bullet Style: TSX FB **Primer:** Fed GM210M **B.C.** 0.361
COAL: 3.700" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
IMR 4064	52.0	2272	56.5	2443	94
◆ VIT N140	53.0	2244	57.0	2408	90

Bullet Weight: 286 gr **Case Trim Length:** 2.931" **S.D.** 0.305
Bullet Style: Banded Solid **Primer:** Fed GM210M **B.C.** 0.258
COAL: 3.650" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
Varget	52.0	2212	55.0	2341	89
◆ IMR 4064	50.0	2197	53.5	2312	89

9.3 x 74R

Bullet Weight: 286 gr
Bullet Style: TSX FB
COAL: 3.700"
Case: Norma

Case Trim Length: 2.931"
Primer: Fed GM210M
Barrel Length: 24"
Twist Rate: 1:12"

S.D. 0.305
B.C. 0.411

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ Varget	50.5	2095	54.0	2238	93
VIT N140	51.0	2069	54.0	2199	91
