


260 Remington

Case: Remington	Primer: Federal 210
Case Trim: 2.025"	Barrel Length: 24"
Twist Rate: 1:9"	Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Most Accurate Load*

[°] Compressed Load

260 Remington



100-grain TTSX BT/TAC-TX BT
Sectional Density .205
Ballistic Coefficient .359
C.O.A.L 2.770"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Varget	37.9	2914	42.1	3171
IMR 4064	37.4	2895	41.6	3169
Big Game	43.6	2992	48.4 ^c	3268
H380	43.5	3018	48.3 ^c	3268
Power Pro 2000MR	40.9	2954	45.5	3236
Win 760	42.8	2960	47.6 ^c	3239
RL 17	42.2	2932	46.9 ^c	3264
*IMR 4350	44.2	2920	49.1 ^c	3253
H4350	42.6	2928	47.4 ^c	3187
A-2700	43.2	2985	48.0 ^c	3271



120-grain TSX BT
Sectional Density .246
Ballistic Coefficient .381
C.O.A.L 2.705"

Suggested Bullet Use



120-grain TTSX BT/TAC-TX BT
Sectional Density .246
Ballistic Coefficient .412
C.O.A.L 2.770"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	40.1	2705	44.6	2933
A-2700	39.0	2674	43.3	2919
PowerPro 2000MR	36.5	2643	40.6	2864
Win 760	38.1	2639	42.4	2874
A-4350	38.9	2664	43.3	2883
RL 17	38.4	2691	42.7	2941
IMR 4350	38.9	2640	43.3	2896
H4350	38.1	2628	42.3	2853
*Hybrid 100V	39.5	2672	43.9 ^c	2915
Superformance	42.7	2754	47.4 ^c	3027

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load

260 Remington



127-grain LRX BT
Sectional Density .260
Ballistic Coefficient .468
C.O.A.L 2.750"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	39.3	2639	43.6	2852
A-2700	38.8	2593	43.2	2827
PowerPro 2000MR	36.3	2554	40.4	2779
Win 760	38.1	2571	42.4	2795
A-4350	38.0	2595	42.3 ^c	2766
RL-17	38.5	2616	42.7	2858
IMR 4350	39.2	2581	43.5	2826
H4350	38.5	2587	42.8	2793
*Hybrid 100V	39.2	2603	43.6 ^c	2840
Superformance	41.9	2665	46.6 ^c	2916

Recommended Twist 1:8" or faster



130-grain TSX FB
Sectional Density .266
Ballistic Coefficient .365
C.O.A.L 2.705"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	37.7	2578	41.9	2780
PowerPro 2000MR	35.2	2514	39.2	2735
Win 760	37.0	2540	41.1	2760
A-4350	37.4	2527	41.6	2731
*RL 17	37.6	2583	41.8	2823
IMR 4350	38.6	2558	42.9	2792
H4350	37.3	2540	41.4	2751
Hunter	41.8	2634	46.5 ^c	2869
Hybrid 100V	37.9	2553	42.1 ^c	2792
Superformance	40.8	2632	45.3 ^c	2879

Recommended Twist 1:8" or faster

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load

260 Remington



140-grain Match Burner

Sectional Density .287

Ballistic Coefficient .586

C.O.A.L 2.800"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
PowerPro 2000MR	36.5	2496	40.5	2730
Win 760	38.4	2474	42.6	2739
H414	38.5	2468	42.7	2746
A-4350	40.5	2511	45.0 ^c	2784
RL 17	38.7	2537	43.0	2814
*IMR 4350	40.0	2536	44.4	2797
H4350	38.6	2527	42.9	2745
Hunter	41.9	2592	46.6 ^c	2821
Hybrid 100V	38.6	2536	42.9 ^c	2778
Superformance	42.3	2552	47.0 ^c	2852
H4831SC	42.4	2550	47.1 ^c	2759

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load