


416 Remington Magnum

Case: Remington	Primer: Federal 215
Case Trim: 2.840"	Barrel Length: 25"
Twist Rate: 1:14"	Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Most Accurate Load*

[°] Compressed Load

416 Remington Magnum



350-grain Banded Solid
Sectional Density .289
Ballistic Coefficient .217
C.O.A.L 3.580"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*Varget	80.5	2572	86.5 ^c	2721
A-2520	83.0	2581	90.0	2746
H4895	76.0	2543	83.5 ^c	2699
IMR 4895	78.5	2529	84.5 ^c	2709
Viht N135	75.0	2466	81.0	2611
IMR 4320	80.5	2511	86.5 ^c	2689



350-grain TSX FB
Sectional Density .289
Ballistic Coefficient .345
C.O.A.L 3.590"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
A-2015	63.6	2227	70.7 ^c	2439
IMR 8208 XBR	66.5	2304	73.9 ^c	2515
H335	71.8	2381	79.8 ^c	2589
Tac	72.8	2394	80.9 ^c	2609
H4895	69.0	2367	76.7 ^c	2585
*Viht N135	66.7	2242	74.1 ^c	2459



350-grain TTSX BT
Sectional Density .289
Ballistic Coefficient .444
C.O.A.L 3.600"

Suggested Bullet Use



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load

416 Remington Magnum



400-grain Banded Solid

Sectional Density .330
Ballistic Coefficient .388
C.O.A.L 3.580"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Varget	72.5	2314	78.5 ^c	2471
*A-2520	76.5	2346	82.5	2500
IMR 4895	71.0	2270	77.0	2452
Viht N135	71.0	2254	75.5	2402
IMR 4320	73.5	2281	79.5	2452
RL 15	73.5	2316	79.5 ^c	2466



400-grain TSX FB

Sectional Density .330
Ballistic Coefficient .392
C.O.A.L 3.590"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*A-2520	73.0	2204	79.0	2384
RL 15	71.0	2217	77.0 ^c	2385
IMR 4895	69.0	2161	75.0 ^c	2355
Viht N135	67.0	2090	71.5	2267
Varget	70.0	2187	76.0 ^c	2358
IMR 4320	70.5	2143	76.5 ^c	2338

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load