

378 Weatherby Magnum

Case: Norma


Primer: Fed GM215M

Case Trim: 2.903"

Barrel Length: 25"

Twist Rate: 1:12"

Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

° Compressed Load

378 Weatherby Magnum



235-grain TSX FB
Sectional Density .239
Ballistic Coefficient .270
C.O.A.L 3.630"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 19	107.5	2947	115.5	3245
*H4831sc	107.0	2914	115.0	3169
MagPro	122.0	3129	130.0	3309
RL 22	110.5	3019	118.5	3270
IMR 7828ssc	109.0	2896	117.0	3208
Magnum	120.0	3079	128.0	3268



270-grain TSX FB
Sectional Density .274
Ballistic Coefficient .326
C.O.A.L 3.630"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 19	102.0	2758	110.0	3048
H4831sc	102.5	2746	110.5	2984
MagPro	112.0	2876	120.0	3068
RL 22	104.5	2787	112.5	3062
IMR 7828ssc	104.5	2735	112.5	3025
*Magnum	114.0	2897	122.0	3065



270-grain LRX BT
Sectional Density .274
Ballistic Coefficient .449
C.O.A.L 3.650"

Suggested Bullet Use



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

° Compressed Load

378 Weatherby Magnum



300-grain TSX FB
Sectional Density .305
Ballistic Coefficient .357
C.O.A.L 3.630"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*RL 19	100.0	2678	108.0	2905
H4831sc	100.0	2631	108.0	2840
MagPro	108.5	2749	117.5	2927
Viht N165	107.0	2689	115.0 ^c	2877
RL 22	103.0	2662	111.0	2928
IMR 7828ssc	102.0	2625	110.0	2863
Magnum	111.0	2769	120.0	2936



350-grain TSX FB
Sectional Density .356
Ballistic Coefficient .408
C.O.A.L 3.630"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Hybrid 100v	88.0	2407	96.0	2608
Win 780	96.5	2471	104.5	2668
A 3100	93.0	2452	101.0 ^c	2631
RL 22	100.0	2441	108.0 ^c	2687
IMR 7828ssc	96.0	2430	104.0	2629
*Magnum	106.0	2531	114.0	2696

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load