


		22 Creedmoor			
Case: Hornady		Barrel Length: 24"			
Primer: Fed 210		Twist Rate: 1:8"			
Bullet	SKU	S.D	G1 B.C	G7 B.C	C.O.A.L
55gr TSX FB	30182	0.157	0.209	N/A	2.340"
55gr TTSX BT	30187	0.157	0.272	N/A	2.415"
Powder	Minimum		Maximum		Load Density
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
IMR 7828SC	43.3	3496	47.4	3805	107%
H4350	39.2	3550	43.4	3823	96%
StaBall 6.5	40.9	3568	43.9	3845	96%
RL 16	40.1	3586	43.8	3872	102%
Superformance	44.1	3601	47.6	3890	101%
Hunter	43.1	3620	47.5	3926	105%

		22 Creedmoor			
Case: Hornady		Barrel Length: 24"			
Primer: Fed 210		Twist Rate: 1:8"			
Bullet	SKU	S.D	G1 B.C	G7 B.C	C.O.A.L
62gr TSX BT	30190	0.177	0.296	N/A	2.460"
62gr TTSX BT	30188	0.177	0.294	N/A	2.415"
65gr LRX BT	32471	0.185	0.424	0.203	2.640"
Powder	Minimum		Maximum		Load Density
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4831SC	41.3	3280	45.5	3563	103%
H4350	38.0	3365	41.5	3621	93%
RL 15.5	37.4	3457	39.7	3626	95%
N165	39.0	3371	45.9	3639	104%
N560	44.5	3364	48.5	3639	107%
StaBall 6.5	40.3	3412	42.9	3652	94%
IMR 7828SC	41.9	3362	46.0	3662	105%
RL 16	40.6	3476	43.6	3707	102%
Grand	46.3	3412	50.1	3714	111%
RL 26	42.4	3429	46.4	3719	101%
Hunter	42.0	3451	46.1	3741	103%
Superformance	43.7	3488	47.4	3794	101%

		22 Creedmoor			
Case: Hornady		Barrel Length: 24"			
Primer: Fed 210		Twist Rate: 1:7"			
Bullet	SKU	S.D	G1 B.C	G7 B.C	C.O.A.L
69gr Match Burner BT	30162	0.196	0.339	0.168	2.470"
70gr TSX BT	30193	0.199	0.323	N/A	2.460"
70gr TAC-TX BT	32469	0.199	0.432	0.211	2.640"
Powder	Minimum		Maximum		Load Density
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4831SC	40.1	3162	44.3	3451	101%
N560	41.6	3207	45.3	3455	100%
IMR 7828SC	39.6	3168	43.4	3455	99%
StaBall 6.5	38.9	3224	41.9	3481	92%
MagPro	45.6	3205	49.7	3496	106%
Hunter	39.8	3227	44.0	3500	98%
RL 23	38.5	3251	42.8	3515	96%
RL 26	40.2	3247	44.1	3523	96%
Superformance	41.1	3257	44.9	3540	96%
Grand	45.3	3322	48.7	3587	108%
Note: The 70gr TAC-TX BT requires a 1:7" twist or faster					

		22 Creedmoor			
Case: Hornady		Barrel Length: 24"			
Primer: Fed 210		Twist Rate: 1:7"			
Bullet	SKU	S.D	G1 B.C	G7 B.C	C.O.A.L
77gr Match Burner BT	32050	0.219	0.352	0.176	2.470"
77gr LRX BT	30881	0.219	0.404	0.193	2.560"
78gr TSX BT	30204	0.220	0.383	N/A	2.560"
Powder	Minimum Charge (grains)	Velocity (fps)	Charge (grains)	Maximum Velocity (fps)	Load Density
H4831	37.6	3020	42.2	3274	97%
IMR 7828SC	37.6	3009	41.9	3278	97%
N560	39.3	3056	44.1	3314	99%
StaBall 6.5	38.1	3117	40.8	3342	91%
StaBall HD	44.5	3094	47.9	3359	105%
Superformance	39.4	3105	43.1	3366	93%
H1000	42.3	3114	46.6	3366	107%
RL 19	38.3	3079	42.6	3368	101%
RL 26	40.1	3127	43.9	3395	97%
Magnum	45.4	3132	49.8	3442	111%
Note: The 77gr LRX BT & 78gr TSX BT requires a 1:7" twist or faster					