



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:9.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
110gr	TTSX FB	30296	0.195	0.319	3.230"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H4831SC	67.5	3147	75.0c	3470
IMR 4831	63.6	3211	70.7	3504
Hunter	64.2	3209	71.3	3515
Supreme 780	67.6	3199	75.1c	3525
Magnum	77.5	3343	82.5	3549
RL 22	66.9	3219	74.3c	3556
Power Pro 4000MR	66.6	3243	74.0c	3596



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:9.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
120gr	TSX BT	30287	0.213	0.349	3.240"
120gr	TTSX BT	30298	0.213	0.373	3.230"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Magnum	74.0	3075	80.5	3275
H1000	72.0	3121	77.5c	3322
H4831SC	65.2	3047	72.4	3345
IMR 7828SSC	66.2	3022	73.5	3375
H4350	60.0	3146	66.5	3382
Hunter	62.5	3131	69.5	3387
Hybrid 100V	60.8	3130	67.6	3407
IMR 4831	63.4	3040	70.4	3409
Magpro	72.0	3182	78.0	3410
RL 22	66.6	3088	74.0c	3414
RL 19	66.9	3094	74.3c	3437
Power Pro 4000MR	63.8	3097	70.9	3444



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:9.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
139gr	LRX BT	30295	0.246	0.434	3.275"
140gr	TSX BT	30289	0.248	0.394	3.240"
140gr	TTSX BT	30300	0.248	0.412	3.230"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H4350	53.0	2797	59.0	3025
RL 19	56.0	2815	63.0	3059
IMR 4831	55.1	2818	61.2	3066
RL 23	61.0	2952	64.0	3094
H4831SC	62.2	2929	69.1	3107
H1000	62.8	2895	69.8	3113
N-560	61.5	2840	65.0	3116
IMR 7828SSC	60.5	2879	67.2	3128
Hybrid 100V	57.5	2893	63.9	3133
RL 25	61.0	2760	69.0	3138
Retumbo	68.0	2965	73.0C	3145
RL 26	61.0	2865	67.5	3147
Magpro	68.0	2930	73.5	3152
MRP	64.0	3034	68.0	3156
RL 22	61.2	2906	68.0	3169
Power Pro 4000MR	59.2	2909	65.8	3184
Magnum	69.3	2908	77.1c	3199



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:9.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
145gr	LRX BT	30282	0.257	0.449	3.290"
150gr	TSX BT	30293	0.266	0.408	3.240"
150gr	TTSX BT	30303	0.266	0.424	3.230"
152gr	LRX BT	32395	0.269	0.467	3.290"
		Minimum		Maximum	
		Charge	Velocity	Charge	Velocity
Powder		(grains)	(fps)	(grains)	(fps)
Hunter		52.5	2663	58.5	2883
RL 19		52.5	2698	59.5	2924
IMR 4350		52.5	2702	58.5	2936
IMR 4831		54.5	2709	60.6	2958
H4831SC		57.4	2742	63.8	2970
Magpro		60.5	2749	67.5	2994
IMR 7828SSC		59.1	2740	65.7	3021
H1000		61.0	2758	67.7	2998
RL 26		60.0	2800	66.7	3058
Power Pro 4000MR		57.7	2782	64.2	3064
RL 22		58.8	2851	65.3	3087
Magnum		67.5	2827	75.0c	3106



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
160gr	TSX FB	30291	0.283	0.392	3.185"
160gr	LRX BT	32348	0.283	0.608	3.545"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8133	57.8	2587	64.2	2830
IMR 7977	57.4	2597	63.8	2847
IMR 7828SSC	55.8	2634	62.0	2883
GRAND	59.3	2655	65.8	2927
RL 26	55.8	2725	62.0	2931
Magpro	60.2	2708	66.9	2940
StaBall HD	61.7	2683	68.6	2945
Retumbo	60.2	2727	66.9	2949
H1000	60.1	2722	66.8	2952
Magnum	64.5	2753	71.7	3002

Notes: 160gr LRX BT requires 1:8" twist or faster.



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
168gr	LRX BT Match	30284	0.298	0.513	3.300"
171gr	Burner	30285	0.303	0.645	3.290"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 4831	51.0	2497	56.7	2726
RL 22	53.2	2553	59.1	2759
H4831SC	52.0	2519	59.0	2772
IMR 7828SSC	54.0	2562	60.0	2782
RL 19	50.5	2537	57.5	2791
RL 26	57.0	2675	61.0	2796
Power Pro 4000MR	53.9	2571	59.9	2801
H1000	57.4	2577	63.8	2808
Retumbo	59.4	2699	66.0	2824
Magpro	57.5	2598	65.5	2851
RL 25	55.5	2645	63.0	2856
Magnum	64.0	2656	71.1c	2882

Notes: 168gr LRX BT requires 1:8" twist or faster.



7mm Rem Mag Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.490"

Primer: Fed 215

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
175gr	TSX FB	30294	0.310	0.417	3.185"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 19	49.5	2426	55.0	2624
Retumbo	56.8	2463	63.1	2639
H4831SC	52.2	2410	58.1	2651
IMR 4831	51.3	2433	57.0	2667
RL 22	52.7	2453	58.6	2684
Superformance	51.5	2469	57.2	2696
Magpro	58.0	2491	63.5	2711
H1000	57.2	2492	63.6	2717
Hybrid 100V	50.7	2467	56.3	2720
Power Pro 4000MR	53.2	2481	59.1	2732
RL 25	57.5	2530	62.5	2738
Magnum	60.9	2553	67.7	2780

Notes: 175gr TSX FB requires 1:9" twist or faster.