



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
110gr	TSX BT	30341	0.166	0.264	3.340"
110gr	TTSX BT	30362	0.166	0.295	3.340"
		Minimum		Maximum	
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4350	76.1	3439	84.5c	3807	
Win 760	74.5	3461	82.8c	3823	
A-2700	75.2	3485	83.6c	3831	
RL 17	74.6	3483	82.9c	3904	
Hunter	81.4	3590	90.4c	3911	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
130gr	TSX BT	30345	0.196	0.340	3.340"
130gr	TTSX BT	30364	0.196	0.350	3.340"
Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
Win 760	68.5	3170	76.1	3500	
H4350	71.6	3162	79.5c	3529	
Hybrid 100v	69.6	3233	77.4c	3572	
A-4350	72.9	3197	81.1c	3586	
RL 17	69.6	3194	77.3	3601	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
150gr	TSX BT	30347	0.226	0.369	3.340"
150gr	TTSX BT	30366	0.226	0.420	3.340"
150gr	MPG FB	30331	0.226	0.357	3.340"
155gr	Match Burner BT	30381	0.233	0.467	3.375"
		Minimum		Maximum	
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
Win 760	64.6	2972	71.1	3227	
H4350	67.8	3003	73.7	3258	
IMR 4831	70.5	3055	76.5	3277	
H4831SC	75.6	3006	82.3c	3286	
Hybrid 100v	66.8	3038	73.0c	3296	
IMR 4350	68.2	3019	75.0	3300	
Hunter	71.8	3064	79.3c	3334	
RL 19	73.9	3080	78.7c	3335	
Supreme 780	74.6	3061	82.0c	3371	
RL 17	66.6	3033	74.0	3379	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
165gr	TSX BT	30349	0.248	0.398	3.340"
165gr	TTSX BT	30368	0.248	0.442	3.340"
168gr	TSX BT	30351	0.253	0.404	3.360"
168gr	TTSX BT	30370	0.253	0.470	3.360"
		Minimum	Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4831SC	71.9	2901	79.9c	3160	
IMR 4350	65.1	2917	72.4	3165	
Hybrid 100v	63.3	2879	70.3	3168	
IMR 4831	67.3	2926	74.7	3192	
Power Pro 4000MR	67.1	2965	74.0c	3193	
RL 22	68.5	2965	76.1c	3198	
RL 19	67.6	2981	75.2c	3205	
RL 17	64.4	2927	71.6	3213	
Hunter	70.1	2948	77.9c	3221	
RL 26	72.0	2915	81.0c	3229	
Magnum	78.0	2960	86.6c	3247	
Supreme 780	75.2	3020	83.5c	3282	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
175gr	Match Burner BT	30385	0.264	0.521	3.375"
175gr	LRX BT	30318	0.264	0.508	3.360"
180gr	TSX BT	30353	0.271	0.453	3.340"
180gr	TTSX BT	30372	0.271	0.484	3.340"
		Minimum	Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
RL 19	61.3	2753	68.1	2970	
H4831SC	67.0	2752	74.4	2984	
RL 22	62.0	2770	72.7c	2984	
IMR 4831	62.9	2739	69.9	2986	
Hybrid 100v	61.4	2754	68.3	2992	
IMR 4350	62.4	2738	69.3	3003	
Hunter	65.0	2759	72.3	3012	
RL 17	60.9	2755	67.7	3023	
Power Pro 4000MR	67.0	2859	72.0	3023	
RL 26	72.5	2780	77.0c	3068	
Magnum	74.1	2809	82.3C	3075	
Supreme 780	70.2	2827	78.0C	3095	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
190gr	LRX BT	30377	0.286	0.541	3.360"
200gr	TSX FB	30356	0.301	0.423	3.340"
200gr	LRX BT	30374	0.301	0.546	3.360"
		Minimum	Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
IMR 4831	59.3	2544	65.9	2773	
RL 19	60.1	2573	66.8	2793	
IMR 7828ssc	62.2	2540	69.1	2794	
RL 22	63.0	2553	70.0	2807	
N-165	60.2	2580	66.9	2814	
H4831SC	65.6	2572	72.9	2823	
H1000	67.0	2605	74.4C	2829	
Power Pro 4000MR	60.8	2606	67.6	2833	
Hunter	62.8	2632	69.8	2841	
Magnum	70.8	2636	78.7C	2879	
Supreme 780	66.7	2643	74.1C	2896	



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 26"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:8.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
208gr	LRX BT	30311	0.313	0.633	3.600"
Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
N-165	59.8	2538	66.4	2763	
IMR 4955	59.2	2513	65.8	2789	
RL 23	56.8	2600	63.2	2791	
IMR 7828	59.2	2571	65.8	2793	
IMR 7977	64.0	2561	71.1	2812	
H4831sc	63.0	2609	70.0	2841	
N-560	61.9	2631	68.8	2857	
Retumbo	63.7	2664	70.8	2858	
RL 26	61.1	2664	67.9	2887	
H1000	66.9	2681	74.4c	2920	
Magpro	70.3	2699	78.1c	2932	

Notes

208gr LRX BT requires 1:8.5" twist or faster.



300 Winchester Magnum Load Data

Case: Remington

Barrel Length: 26"

Case Trim Length: 2.610"

Primer: Rem 9 1/2m

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
212gr	LRX Bore Rider BT	30376	0.319	0.705	3.975"
		Minimum		Maximum	
		Charge	Velocity	Charge	Velocity
Powder	(grains)	(fps)	(grains)	(fps)	
IMR 7977	68.7	2564	73.8	2782	
IMR 8133	70.0	2628	76.1c	2796	
RL 23	64.4	2649	69.2	2816	
RL 22	67.1	2666	72.1	2856	
IMR 7828	69.6	2682	74.0	2874	
RL 26	68.9	2655	74.1	2894	
RL 25	70.4	2727	76.5	2896	
Magnum	74.4	2701	80.0	2898	
RL 33	82.8	2761	86.2c	2900	
H1000	72.9	2674	79.2c	2909	
Retumbo	73.1	2667	79.5c	2918	

Notes

212gr LRX BT requires 1:8" twist or faster.